



YL112M2-4	5	3.7	22.4	1400	78	0.95	138	1.8	1.8
YL132S1-4	4	3	18.4	1400	79	0.95	110	1.8	1.8
YL132S2-4	5	3.7	22.4	1400	79	0.95	138	1.8	1.8
YL132M-4	7.5	5.5	32.9	1400	80	0.95	227	1.8	1.8

YL S


NGLE PHASE MOTOR DIMENSIONS(mm)



B14



B34



Frame No.	Installation size(mm)									B34 B14						
	A	B	C	D	E	F	G	H	K	Flange No.	M	N	P	R*	s	T
63	100	80	40	11	23	4	8.5	63	7	FT75	75	60	90	0	M5	2.5
71	112	90	45	14	30	5	11	71	7	FT85	85	70	105	0	M6	2.5
80	125	100	50	19	40	6	15.5	80	10	FT100	100	80	120	0		3
90S	140	100	56	24	50	8	20	90	10	FT115	115	95	140	0	M8	3
90L	140	125	56	24	50	8	20	90	10	FT115	115	95	140	0		3
100L	160	140	63	28	60	8	24	100	12	FT130	130	110	160	0		3.5
112M	190	140	70	28	60	8	24	112	12	FT130	130	110	160	0		3.5
132S	216	140	89	38	80	10	33	132	12	—	—	—	—	—	—	—
132M	216	178	89	38	80	10	33	132	12	—	—	—	—	—	—	—
Frame No.	B35 B5						Overall dimensions≤									
	M	N	P	R*	S	T	AB	AC	AD	HD	L	DH				
FF115	115	95	140	0	10	3	135	130	70	180	230	M4×12				

FF130	130	110	160	0	10	3.5	150	145	80	195	255	M5×12				
FF165	165	130	200	0	12	3.5	165	175	145	220	295	M6×16				
FF165	165	130	200	0	12	3.5	180	195	155	250	320	M8×19				
FF165	165	130	200	0	12	3.5	180	195	155	250	345	M8×19				
FF215	215	180	250	0	15	4	205	215	180	270	385	M10×22				
FF215	215	180	250	0	15	4	230	240	190	300	400	M10×22				
FF265	265	230	300	0	15	4	270	275	210	345	470	M12×28				
FF265	265	230	300	0	15	4	270	275	210	345	510	M12×28				